

7510-395-123 Material Safety Data Sheet

1.0 Product and Company Identification

Identification of the Preparation HP LaserJet Print Cartridge

C3909A/X

Company Identification Hewlett-Packard Comoanv

11 311 Chinden Boulevard

Boise. Idaho 83714

United States

Emergency Telephone Number Hewlett-

Packard Health Effects Line

I-800-457-4209 (USA and Canada)

503-494-7199 (USA direct)

Singapore: +001-800-332-1 3321

General Information Telephone Number

208-323-2551 (USA direct)

Local Contact Information

Ireland

Liffey Park Technology Park Barnhall Road Leixlip, Co.

Kildare, Ireland

Phone: 01 6150000

United Kingdom

Hewlett-Packard, Ltd. Cain Road, Amen Corner

Bracknell, Berkshire, RG121 HN

Phone: 1344 36-0000

Hazard Rating	US NFPA/HMIS		
Health	1		
Flammability	1		
Instability/Reactivity	0 ;		
Special	N/A		

2.0 Composition/Information on Ingredients

T broduct issa tonercreparation that is used in Hewlett-Packard LaserJet 5Sil 5Si MX. 5Si Mopier, 8000 series, or Mopier 240 printers.

Component/Substance	CAS Number	EU Number	% by Weight	Risk Phrases
Styrene Acrylate Copolymer	1		45 = 55	
Iron Oxide	1317-61-\$	215-277-5	45 - 55	

3.0 Hazard Identification

The preparation is not classified according to EU Directive 1999/45/EC

3.1 Routes of Exposure

Inhalation, ingestion, skin and eyes.



7510-395-123 Material Safety Data Sheet

3.2 Acute Health Hazards

Inhalation: Minimal respiratory tract irritation may occur with exposure

to large amount of toner dust.

Ingestion: Ingestion is not applicable route of entry for intended use.

Skin: None currently known **Eyes:** May cause eye irritation.

3.3 Chronic Health

Hazards

Prolonged inhalation of excessive amounts of any dust may cause lung damage. Use of this product as intended

does not result in inhalation of excessive amounts of dust.

3.4 Carcinogenicity Refer to section 11.

4.0 First Aid Measures

Inhalation: Move person to fresh air immediately. If symptoms

occur, consult a physician.

Ingestion: Rinse mouth with water. Drink one to two glasses of

water. If symptoms occur, consult a physician.

Skin: Wash affected areas thoroughly with soap and

water. If symptoms occur, consult a physician.

Eyes: immediately flush with large amounts of clean,

lukewarm water (low pressure) for at least 15 minutes. If symptoms occur, consult a physician.

5.0 Fire Fighting Measures

Extinguishing media CO2, water, dry chemical

Unsuitable Extinguishing None known

Media

Special Firefighting None

Procedures

Unusual fire and explosion Toner material, like most organic material in powder

hazards form, is capable of creating a dust explosion.

Auto-ignition temperature No data available

Flashpoint (method) Not applicable

Hazardous Combustion Combustion will produce carbon dioxide and,

Products possibly toxic chemicals such as carbon monoxide

6.0. Accidental release measures

August 1 , 2002

6.1 Spill or leak procedures Wear personal protective equipment as described in

Section 8. Minimize the release of particulates. Vacuum or sweep the material into a bag or other sealed container and dispose in accordance with

local requirements.



7510-395-123 Material Safety Data Sheet

6.2 Environmental precautions

Do not discharge into drains (See also section 13

Disposal Considerations).

7.0 Handling and Storage

Advice on safe handling and protection against fire

Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Keep away

from excessive heat, sparks, and open flames.

Requirements for storage Keep container closed and store at room

temperature. Keep away from strong oxidizers.

storage compatibility

rooms and advice on

8.0 Exposure control/ personal protection

8.1 Exposure Limit Values

USA OSHA (TWA/PEL): 15 mg/m³ (Total Dust

5 mg/m³ (Respirable Fraction)

ACGIH (TWA/TLV); 10 mg/m³ (Inhalable Particulate)

3 mg/m³ (Respirable Particulate)

TRGS 900 (Luftgrenzwert): 10 mg/m3 (Einatembare Partikel)

3 mg/m3 (Alveolengangige Fraktion)

8.2 Exposure Controls

Respiratory protection Not required under intended use

Ventilation Good general ventilation should be sufficient under

intended use

Protective gloves Not r

Eye protection Not r

Not required under intended use Not required under intended use

Other protective equipment

Not required under intended use

9.0 Physical and chemical properties

pH Not applicable

Boiling point Not applicable Flash point Not applicable

Melting point 100 - 150°C (Softening Point)

Flammability Non-flammable solid (according to test methods of

USA 16 CFR 1500.44 and 84/449/EEC (Annex V)

1

A.10)

Explosive properties Toner material, like most organic material in powder

form, is capable of creating a dust explosion

Oxidizing properties No data available

Vapor Pressure Not applicable

Specific gravity (H₂O=1) 1.4 - 1.8 Solubility in water Negligible

Solubility in organic Partially soluble in toluene and xylene

solvents

Partition coefficient Not applicable

Viscosity Not applicable



Material Safety Data Sheet

Vapor density Not applicable Evaporation rate Not applicable Physical state Fine powder

Color Black

Odor Slight plastic odor Other None I&own

10.0 Stability and reactivity

Stability Stable under normal storage conditions

Incompatibilities Strong oxidizers

Hazardous decomposition Combustion will produce carbon dioxide and,

products possibly toxic chemicals such as carbon monoxide

Hazardous polymerization Will not occur

11 .O Toxicological information

Refer to Section 3 for potential heath effects and Section 4 for first aid measures

Acute Toxicity:

Ingestion: LD₅₀:orl-rat>5000 mg/kg, not harmful

Eye Contact: Not classified as irritant, according to OSHA Hazard

Communication Standard (HCS) and EU Directive

67/548/EEC

Skin Contact: Not classified as irritant, according to OSHA Hazard

Communication Standard (HCS) and EU Directive

67/548/EEC

Chronic Toxicity: No data available

Other Toxicity Data:

Mutagenicity: Negative, does not indicate mutagenic potential

(Ames Test: Salmonella typhimurium)

Carcinogenicity: Not a known or suspected carcinogen according to

any IARCI Monograph, NTP, OSHA Regulations (USA), EU Directive, or Proposition 65 (California)

12.0 Ecological Information

No data available for ecological and wastewater treatment (sewage) systems.

13.0 Disposal considerations

Product I unused product I contaminated packaging (for Germany only)
Recommendation: consultation with the disposal agency and the relevant authorities;
cleansing agent is water.

14.0 Transportation information

Not a regulated article under DOT, IATA, ADR, or RID

August 1, 2002 Page 4 of 5 HP LaserJet C3909A/X

7510-395-123

Material Safety Data Sheet

UN Number None

Class None

Proper Shipp'ing Name None

Packing Group None

Special Precautions None

15.0 Regulatory information

US EPA TSCA Inventory All ingredients are listed on TSCA inventory

US EPA TSCA 12(b) None US California Proposition 65 None

EU Notification All components in this product are compliant with

EU Chemical Inventory regulations.

EU R&S Phrase Information No European Risk Phrases (labeling data)

Dangerous Components None

(CAS No.) wt%

USA Labeling

Symbol Not required

Hazard Warning Not required

Safety Advice Not required

Hazardous Component(s) None

16.0 Other information

Date Prepared: August 1, 2002

HP-DMS Document Control 09000de780221819

Number:

Revision Information: This document replaces all prior versions of the MSDS

EU Information This MSDS was prepared in compliance with EU Directive

91/155/EEC as amended by 2001/58/EC and USA OSHA

Hazard Communications regulations (29CFR1910:1200)

DISCLAIMER: This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or their suitability for a particular application.